

No.	Analytical Items	Test Results	Detection Limit	Reference MRL	No.	Analytical Items	Test Results	Detection Limit	Reference MRL
1	2-(1-Naphthyl)acetamide	N.D.	0.01	0.01	34	Butachlor	N.D.	0.01	0.01
2	Acetochlor	N.D.	0.01	0.01	35	Butafenacil	N.D.	0.01	0.01
3	Acibenzolar-S-methyl	N.D.	0.01	0.01	36	Butamifos	N.D.	0.01	0.01
4	Acrinathrin	N.D.	1	10	37	Cadusafos	N.D.	0.01	0.01
5	Alachlor	N.D.	0.01	0.01	38	Cafenstrole	N.D.	0.01	0.01
6	Aldicarb	N.D.	0.01	0.01	39	Carbaryl	N.D.	0.1	1
7	Aldoxycarb	N.D.	0.01	0.01	40	Carbofuran	N.D.	0.02	0.2
8	Allidochlor	N.D.	0.01	0.01	41	Carbophenothion	N.D.	0.01	0.01
9	Ametryn	N.D.	0.01	0.01	42	Carboxin	Unanalyzable	—	0.01
10	Anilofos	N.D.	0.01	0.01	43	Carfentrazone-ethyl	N.D.	0.01	0.1
11	Atrazine	N.D.	0.01	0.1	44	Carpropamid	N.D.	0.01	0.01
12	Azaconazole	N.D.	0.01	0.01	45	Chlorbenside	N.D.	0.01	0.01
13	Azamethiphos	N.D.	0.01	0.01	46	Chlorbufam	N.D.	0.01	0.01
14	Azinphos-methyl	N.D.	0.01	0.01	47	Chlorethoxyfos	N.D.	0.01	0.01
15	Azoxystrobin	N.D.	1	10	48	Chlorfenson	N.D.	0.01	0.01
16	Benalaxyl	N.D.	0.01	0.1	49	Chlorfenvinphos(E,Z)	N.D.	0.01	0.01
17	Bendiocarb	N.D.	0.01	0.01	50	Chloridazon	N.D.	0.01	0.01
18	Benfluralin	N.D.	0.01	0.01	51	Chlornitrofen(CNP)	N.D.	0.01	0.01
19	Benoxacor	N.D.	0.01	0.1	52	Chloroneb	N.D.	0.01	0.01
20	Benzofenap	N.D.	0.01	0.01	53	Chloroxuron	N.D.	0.01	0.01
21	BHC ($\alpha,\beta,\gamma,\delta$)	N.D.	0.01	0.01	54	Chlorpropham	N.D.	0.01	0.01
22	Bifenox	N.D.	0.01	0.01	55	Chlorpyrifos	N.D.	1	10
23	Bifenthrin	N.D.	3	30	56	Chlorpyrifos-methyl	N.D.	0.01	0.1
24	Bioresmethrin	N.D.	0.01	0.1	57	Chlorthal-dimethyl	N.D.	0.01	0.01
25	Bitertanol	N.D.	0.01	0.1	58	Chlozolate	N.D.	0.01	0.01
26	Boscalid	N.D.	6	60	59	Chromafenozide	N.D.	2	20
27	Bromacil	N.D.	0.01	0.01	60	Cinidon-ethyl	N.D.	0.01	0.01
28	Bromobutide	N.D.	0.01	0.01	61	Clofentezine	N.D.	2	20
29	Bromophos-ethyl	N.D.	0.01	0.01	62	Clomazone	N.D.	0.01	0.02
30	Bromophos-methyl	N.D.	0.01	0.01	63	Clomeprop	N.D.	0.01	0.01
31	Bromopropylate	N.D.	0.01	0.1	64	Cloquintocet-mexyl	N.D.	0.01	0.01
32	Bupirimate	N.D.	0.01	0.01	65	Clothianidin	N.D.	5	50
33	Buprofezin	N.D.	3	30	66	Cumyluron	N.D.	0.01	0.01

(unit : ppm)

No.	Analytical Items	Test Results	Detection Limit	Reference MRL	No.	Analytical Items	Test Results	Detection Limit	Reference MRL
67	Cyanazine	N.D.	0.01	0.01	100	Diphenamid	N.D.	0.01	0.01
68	Cyanofenphos	N.D.	0.01	0.01	101	Diphenylamine	N.D.	0.01	0.05
69	Cyanophos	N.D.	0.01	0.01	102	Disulfoton	N.D.	0.01	0.05
70	Cyazofamid	N.D.	0.01	0.01	103	Disulfoton-sulfone	N.D.	0.01	0.01
71	Cycloate	N.D.	0.01	0.01	104	Dithiopyr	N.D.	0.01	0.01
72	Cyflufenamid	N.D.	0.01	0.01	105	Diuron	N.D.	0.1	1
73	Cyfluthrin	N.D.	2	20	106	Edifenphos	N.D.	0.01	0.01
74	Cyhalofop-butyl	N.D.	0.01	0.01	107	Endosulfan(α,β)	N.D.	3	30
75	Cyhalothrin	N.D.	1.5	15	108	Endosulfan-sulphate	N.D.	0.01	0.01
76	Cypermethrin	N.D.	2	20	109	EPN	N.D.	0.01	0.01
77	Cyproconazole	N.D.	0.01	0.01	110	Epoxiconazole	N.D.	0.01	0.01
78	Cyprodinil	N.D.	0.01	0.01	111	Esprocarb	N.D.	0.01	0.01
79	Daimuron	N.D.	0.01	0.1	112	Ethalfuralin	N.D.	0.01	0.01
80	Deltamethrin	N.D.	0.01	0.01	113	Ethion	N.D.	0.03	0.3
81	Demeton-S-methyl	Unanalyzable	—	0.05	114	Ethofumesate	N.D.	0.01	0.01
82	Diallate	N.D.	0.01	0.01	115	Ethoprophos	N.D.	0.01	0.01
83	Diazinon	N.D.	0.01	0.1	116	Etofenprox	N.D.	1	10
84	Dichlofenthion	N.D.	0.01	0.01	117	Etridiazole	N.D.	0.01	0.01
85	Dichloran	N.D.	0.01	0.01	118	Etrimfos	N.D.	0.01	0.01
86	Diclocymet	N.D.	0.01	0.01	119	Fenamidone	N.D.	0.01	0.01
87	Diclofop-methyl	N.D.	0.01	0.1	120	Fenamiphos	N.D.	0.01	0.05
88	Dicrotophos	N.D.	0.01	0.01	121	Fenarimol	N.D.	0.01	0.1
89	Diethofencarb	N.D.	0.5	5	122	Fenbuconazole	N.D.	1	10
90	Difenoconazole	N.D.	1.5	15	123	Fenchlorphos	N.D.	0.01	0.01
91	Diflubenzuron	N.D.	2	20	124	Fenitrothion	N.D.	0.02	0.2
92	Diflufenican	N.D.	0.01	0.01	125	Fenobucarb	N.D.	0.01	0.01
93	Dimepiperate	N.D.	0.01	0.01	126	Fenothiocarb	N.D.	0.01	0.01
94	Dimethametryn	N.D.	0.01	0.01	127	Fenoxanil	N.D.	0.01	0.01
95	Dimethenamid	N.D.	0.01	0.01	128	Fenoxaprop-ethyl	N.D.	0.01	0.1
96	Dimethipin	N.D.	0.01	0.04	129	Fenoxycarb	N.D.	0.01	0.05
97	Dimethoate	N.D.	0.1	1	130	Fenpropathrin	N.D.	2.5	25
98	Dimethomorph(E,Z)	N.D.	0.01	0.01	131	Fenpyroximate	N.D.	4	40
99	Dimethylvinphos(E,Z)	N.D.	0.01	0.01	132	Fensulfothion	N.D.	0.01	0.01

(unit : ppm)

No.	Analytical Items	Test Results	Detection Limit	Reference MRL	No.	Analytical Items	Test Results	Detection Limit	Reference MRL
133	Fenthion	N.D.	0.01	0.01	166	Imidacloprid	N.D.	1	10
134	Fenvalerate	N.D.	0.1	1.0	167	Indanofan	N.D.	0.01	0.01
135	Ferimzone(E,Z)	Unanalyzable	—	0.01	168	Indoxacarb	N.D.	0.01	0.01
136	Fipronil	N.D.	0.01	0.01	169	Iprobenfos	N.D.	0.01	0.01
137	Flamprop-methyl	N.D.	0.01	0.01	170	Iprovalicarb	N.D.	0.01	0.01
138	Fluacrypyrim	N.D.	0.01	0.01	171	Isazophos	N.D.	0.01	0.01
139	Flucythrinate	N.D.	2	20	172	Isocarbophos	N.D.	0.01	0.01
140	Fludioxonil	N.D.	0.01	0.01	173	Isofenphos(and oxon)	N.D.	0.01	0.01
141	Flufenacet	N.D.	0.01	0.01	174	Isoprocab	N.D.	0.01	0.01
142	Flufenoxuron	N.D.	1.5	15	175	Isoprothiolane	N.D.	0.01	0.01
143	Flufenpyr-ethyl	N.D.	0.01	0.01	176	Isoxadifen-ethyl	N.D.	0.01	0.01
144	Flumiclorac pentyl	N.D.	0.01	0.01	177	Isoxaflutole	N.D.	0.01	0.01
145	Fluquinconazole	N.D.	0.01	0.01	178	Kresoxim-methyl	N.D.	1.5	15
146	Fluridone	N.D.	0.01	0.01	179	Linuron	N.D.	0.01	0.02
147	Flusilazole	N.D.	0.01	0.01	180	Lufenuron	N.D.	1	10
148	Flutolanil	N.D.	0.01	0.01	181	Malathion	N.D.	0.01	0.01
149	Flutriafol	N.D.	0.01	0.01	182	Mecarbam	N.D.	0.01	0.01
150	Fonofos	N.D.	0.01	0.01	183	Mefenacet	N.D.	0.01	0.01
151	Formothion	Unanalyzable	—	0.01	184	Mefenpyr-diethyl	N.D.	0.01	0.01
152	Fosthiazate	N.D.	0.01	0.01	185	Mepanipyrim	N.D.	0.01	0.01
153	Fthalide	N.D.	0.01	0.01	186	Mepronil	N.D.	0.01	0.01
154	Furametpyr	N.D.	0.01	0.01	187	Metalaxyl	N.D.	0.01	0.01
155	Furathiocarb	N.D.	0.01	0.01	188	Methabenzthiazuron	N.D.	0.01	0.01
156	Furilazole	N.D.	0.01	0.01	189	Methacrifos	N.D.	0.01	0.01
157	Halfenprox	N.D.	0.01	0.01	190	Methidathion	N.D.	0.1	1
158	Hexaconazole	N.D.	0.01	0.01	191	Methiocarb	N.D.	0.01	0.01
159	Hexaflumuron	N.D.	0.01	0.01	192	Methomyl	N.D.	2	20
160	Hexazinone	N.D.	0.01	0.01	193	Methoxychlor	N.D.	0.01	0.1
161	Hexythiazox	N.D.	1.5	15	194	Methoxyfenozide	N.D.	2	20
162	Imazalil	Unanalyzable	—	0.02	195	Metolachlor	N.D.	0.01	0.01
163	Imazamethabenz-methyl	N.D.	0.01	0.01	196	Metominostrobin(E,Z)	N.D.	0.01	0.01
164	Imibenconazole	N.D.	1.5	15	197	Metribuzin	N.D.	0.01	0.1
165	Imibenconazole-debenzyl	N.D.	0.01	0.01	198	Mevinphos	N.D.	0.01	0.01

(unit : ppm)

No.	Analytical Items	Test Results	Detection Limit	Reference MRL	No.	Analytical Items	Test Results	Detection Limit	Reference MRL
199	Molinate	N.D.	0.01	0.01	232	Piperonyl butoxide	N.D.	0.01	0.01
200	Monocrotophos	N.D.	0.01	0.1	233	Piperophos	N.D.	0.01	0.01
201	Monolinuron	N.D.	0.01	0.01	234	Pirimicarb	N.D.	0.01	0.01
202	Myclobutanil	N.D.	2	20	235	Pirimiphos-methyl	N.D.	1	10
203	Naproanilide	N.D.	0.01	0.01	236	Pretilachlor	N.D.	0.01	0.01
204	Napropamide	N.D.	0.01	0.01	237	Procymidone	N.D.	0.01	0.01
205	Nitralin	N.D.	0.01	0.01	238	Profenofos	N.D.	0.02	0.2
206	Nitrofen	N.D.	0.01	0.01	239	Prometryn	N.D.	0.01	0.01
207	Nitrotarisopropyl	N.D.	0.01	0.01	240	Propachlor	N.D.	0.01	0.01
208	Norflurazon	N.D.	0.01	0.01	241	Propanil	N.D.	0.01	0.01
209	Novaluron	N.D.	0.01	0.01	242	Propaphos	N.D.	0.01	0.01
210	Omethoate	N.D.	0.1	1	243	Propaquizafop	N.D.	0.01	0.01
211	Oxadiazon	N.D.	0.01	0.01	244	Propargite	N.D.	0.5	5
212	Oxadixyl	N.D.	0.01	0.01	245	Propazine	N.D.	0.01	0.01
213	Oxamyl	N.D.	0.01	0.01	246	Propiconazole	N.D.	0.01	0.1
214	Oxaziclomefone	N.D.	0.01	0.01	247	Propoxur	N.D.	0.01	0.1
215	Oxycarboxin	N.D.	0.01	0.01	248	Propyzamide	N.D.	0.01	0.01
216	Oxyfluorfen	N.D.	0.01	0.01	249	Prothiofos	N.D.	0.5	5.0
217	Paclobutrazol	N.D.	0.01	0.01	250	Pyraclufos	N.D.	0.5	5
218	Parathion	N.D.	0.03	0.3	251	Pyraclostrobin	N.D.	2.5	25
219	Parathion-methyl	N.D.	0.02	0.2	252	Pyrazolnate	N.D.	0.01	0.02
220	Penconazole	N.D.	0.01	0.1	253	Pyrazophos	N.D.	0.01	0.01
221	Pencycuron	N.D.	0.01	0.01	254	Pyributicarb	N.D.	0.01	0.01
222	Pendimethalin	N.D.	0.01	0.01	255	Pyridaben	N.D.	1	10
223	Permethrin	N.D.	0.01	0.05	256	Pyridaphenthion	N.D.	0.01	0.01
224	Perthane	N.D.	0.01	0.01	257	Pyrifenox	N.D.	0.01	0.01
225	Phenmedipham	N.D.	0.01	0.01	258	Pyriftalid	N.D.	0.01	0.01
226	Phenthoate	N.D.	0.01	0.02	259	Pyriminobac-methyl(E,Z)	N.D.	0.01	0.01
227	Phorate	N.D.	0.01	0.1	260	Pyriproxyfen	N.D.	1.5	15
228	Phosalone	N.D.	1.5	15	261	Pyroquilon	N.D.	0.01	0.01
229	Phosmet	Unanalyzable	—	0.5	262	Quinalphos	N.D.	0.01	0.1
230	Phosphamidon(E,Z)	N.D.	0.01	0.01	263	Quinoclamine	N.D.	0.01	0.01
231	Picolinafen	N.D.	0.01	0.01	264	Quinoxifen	N.D.	0.01	0.01

(unit : ppm)

No.	Analytical Items	Test Results	Detection Limit	Reference MRL	No.	Analytical Items	Test Results	Detection Limit	Reference MRL
265	Quintozene	N.D.	0.01	0.05	298	Thiometon	N.D.	0.01	0.01
266	Quizalofop-ethyl	N.D.	0.01	0.01	299	Tolclofos-methyl	N.D.	0.01	0.01
267	Resmethrin	N.D.	0.02	0.2	300	Triadimefon	N.D.	0.1	1
268	Salithion	N.D.	0.01	0.01	301	Triadimenol	N.D.	2	20
269	Silafluofen	N.D.	8	80	302	Triallat	N.D.	0.01	0.01
270	Simazine	N.D.	0.01	0.01	303	Triazophos	N.D.	0.01	0.01
271	Simeconazole	N.D.	1	10	304	Tribuphos(DEF)	N.D.	0.01	0.01
272	Simetryn	N.D.	0.01	0.01	305	Tricyclazole	N.D.	0.01	0.01
273	Spinosad(Spinosyn A,D)	N.D.	0.2	2	306	Tridemorph	N.D.	2	20
274	Spiroxamine	N.D.	0.01	0.01	307	Trifloxystrobin	N.D.	0.5	5
275	Sulprofos	N.D.	0.01	0.01	308	Triflumuron	N.D.	0.01	0.02
276	Swep	N.D.	0.01	0.01	309	Trifluralin	N.D.	0.01	0.05
277	TCMTB	N.D.	0.01	0.01	310	Triticonazole	N.D.	0.01	0.01
278	Tebuconazole	N.D.	5	50	311	Uniconazole P	N.D.	0.01	0.01
279	Tebufenpyrad	N.D.	0.2	2	312	Vinclozolin	N.D.	0.01	0.01
280	Tebuthiuron	N.D.	0.01	0.01	313	XMC	N.D.	0.01	0.01
281	Tecnazene	N.D.	0.01	0.1	314	Zoxamide	Unanalyzable	—	0.01
282	Teflubenzuron	N.D.	2	20					
283	Tefluthrin	N.D.	0.02	0.2					
284	Terbacil	N.D.	0.01	0.01					
285	Terbufos	N.D.	0.005	0.005					
286	Terbutryn	N.D.	0.01	0.01					
287	Tetrachlorvinphos	N.D.	0.01	0.01					
288	Tetraconazole	N.D.	2	20					
289	Tetradifon	N.D.	0.1	1					
290	Thenylchlor	N.D.	0.01	0.01					
291	Thiabendazole	N.D.	0.01	0.1					
292	Thiacloprid	N.D.	3	30					
293	Thiamethoxam	N.D.	2	20					
294	Thifluzamide	N.D.	0.01	0.01					
295	Thiobencarb	N.D.	0.01	0.01					
296	Thiocyclam	N.D.	0.01	0.01					
297	Thiodicarb	N.D.	2	20					

(unit : ppm)